

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

### 1 Identification

- **Product name:** *Diamond Aerosol Spray*
- **Part number:** 90-173000 through 90-173025
- **Application of the substance / the mixture** *Polishing solution*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Allied High Tech Products Inc.  
2376 East Pacifica Place  
USA-RANCHO DOMINGUEZ, CA 90220  
USA  
info@alliedhightech.com*
- **Information department:** *Product safety department*
- **Emergency telephone number:**  
*During normal opening times: +1 (310) 635-2466  
Chemtrec: +1 (202) 483-7616*

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

*Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.*



GHS08 Health hazard

*Carc. 2 H351 Suspected of causing cancer.*

*STOT SE 2 H371 May cause damage to the heart, the skin, the blood system and the eyes.*



GHS07

*Eye Irrit. 2A H319 Causes serious eye irritation.*

*STOT SE 3 H336 May cause drowsiness or dizziness.*

*Simple Asphyxiant May displace oxygen and cause rapid suffocation.*

- **Label elements**

- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 1)

· **Hazard pictograms**



GHS02    GHS07    GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*methyl isobutyl ketone  
isopropyl alcohol  
methyl alcohol*

· **Hazard statements**

*Extremely flammable aerosol. Pressurized container: May burst if heated.  
Causes serious eye irritation.  
Suspected of causing cancer.  
May cause damage to the heart, the skin, the blood system and the eyes.  
May cause drowsiness or dizziness.  
May displace oxygen and cause rapid suffocation.*

· **Precautionary statements**

*Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not pierce or burn, even after use.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Do not spray on an open flame or other ignition source.  
Wear eye protection / face protection.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



*Health = 1  
Fire = 4  
Reactivity = 0*

· **HMIS-ratings (scale 0 - 4)**



*Health = \*1  
Fire = 4  
Reactivity = 0*

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 2)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Hazardous Components:**

68476-86-8	Petroleum gases, liquefied, sweetened ⚠ Flam. Gas 1, H220; Flam. Liq. 1, H224; Press. Gas, H280	25-50%
64-17-5	ethyl alcohol ⚠ Flam. Liq. 2, H225	25-50%
67-63-0	isopropyl alcohol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2A, H319; STOT SE 3, H336	10-<25%
67-56-1	methyl alcohol ⚠ Flam. Liq. 2, H225; ⚠ Acute Tox. 3, H301; ⚠ Acute Tox. 3, H311; ⚠ Acute Tox. 3, H331; ⚠ STOT SE 1, H370	3-<10%
108-10-1	methyl isobutyl ketone ⚠ Flam. Liq. 2, H225; ⚠ Carc. 2, H351; ⚠ Acute Tox. 4, H332; ⚠ Eye Irrit. 2A, H319; STOT SE 3, H335	2.5-<10%

· **Non-hazardous Components:**

7782-40-3	Diamond	0.1-≤2.5%
7732-18-5	water, distilled, conductivity or of similar purity	2.5-<10%

· **Additional information:** Water is a byproduct of ethyl alcohol and is naturally occurring in this product.

### 4 First-aid measures

· **Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:** Generally the product does not irritate the skin.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed**

Headache

Coughing

Nausea

Dizziness

Disorientation

Unconsciousness

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**· **Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 3)

- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Do not spray on a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Keep respiratory protective device available.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 4)

### 64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

### 67-63-0 isopropyl alcohol

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm

Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

TLV Short-term value: 984 mg/m<sup>3</sup>, 400 ppm

Long-term value: 492 mg/m<sup>3</sup>, 200 ppm

BEI

### 67-56-1 methyl alcohol

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm

Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

Skin

TLV Short-term value: 328 mg/m<sup>3</sup>, 250 ppm

Long-term value: 262 mg/m<sup>3</sup>, 200 ppm

Skin; BEI

### 108-10-1 methyl isobutyl ketone

PEL Long-term value: 410 mg/m<sup>3</sup>, 100 ppm

REL Short-term value: 300 mg/m<sup>3</sup>, 75 ppm

Long-term value: 205 mg/m<sup>3</sup>, 50 ppm

TLV Short-term value: 307 mg/m<sup>3</sup>, 75 ppm

Long-term value: 82 mg/m<sup>3</sup>, 20 ppm

BEI

### · Ingredients with biological limit values:

#### 67-63-0 isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

#### 67-56-1 methyl alcohol

BEI 15 mg/L

Medium: urine

Time: end of shift

Parameter: Methanol (background, nonspecific)

#### 108-10-1 methyl isobutyl ketone

BEI 1 mg/L

Medium: urine

Time: end of shift

Parameter: MIBK

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 5)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Aerosol

**Color:** According to product specification

· **Odor:** Alcohol-like

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 78 °C (172 °F)

· **Flash point:** -88 °C (-126 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 425 °C (797 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 6)

· <b>Explosion limits:</b>	
<b>Lower:</b>	2.0 Vol % (Propellant)
<b>Upper:</b>	15.0 Vol % (Propellant)
· <b>Vapor pressure at 20 °C (68 °F):</b>	64 hPa (48 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	1.6-1.9 (Air = 1)
· <b>Specific gravity:</b>	0.8 (water = 1)
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	95 %
<b>Water:</b>	3.5 %
<b>VOC content:</b>	95 %
	950.0 g/l / 7.93 lb/gl
<b>Solids content:</b>	1.4 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
  - Keep away from heat.
  - Keep away from open flames. - No smoking.
  - Keep away from oxidising agents and acidic substances.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
  - Formaldehyde
  - Carbon monoxide and carbon dioxide
- **Additional information:** Hazardous decomposition products may form during combustion.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimates)</b>		
Oral	LD50	2710 mg/kg

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 7)

Dermal	LD50	8520 mg/kg
Inhalative	LC50/4 h	51.3 mg/l

### 67-56-1 methyl alcohol

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)

- **Primary chemical irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

64-17-5	ethyl alcohol	1
67-63-0	isopropyl alcohol	3
108-10-1	methyl isobutyl ketone	2B

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 8)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN1950

· **UN proper shipping name**

· **DOT**

Aerosols, flammable

· **IMDG**

AEROSOLS

· **IATA**

AEROSOLS, flammable

· **Transport hazard class(es)**

· **DOT**



· **Class**

2.1

· **Label**

2.1

· **IMDG, IATA**



· **Class**

2.1

· **Label**

2.1

· **Packing group**

· **DOT, IMDG, IATA**

not regulated

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Warning: Gases

· **Danger code (Kemler):**

-

· **EMS Number:**

F-D,S-U

· **Stowage Code**

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

· **Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

· **Transport in bulk according to Annex II of**

**MARPOL73/78 and the IBC Code**

Not applicable.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 9)

**· Transport/Additional information:**
**· DOT**
**· Quantity limitations**

On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

**· IMDG**
**· Limited quantities (LQ)**

1L

**· Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

**· UN "Model Regulation":**

UN 1950 AEROSOLS, 2.1

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**
**· Sara**
**· Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**· Section 313 (Specific toxic chemical listings):**

67-63-0 isopropyl alcohol

67-56-1 methyl alcohol

108-10-1 methyl isobutyl ketone

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**· Proposition 65**
**· Chemicals known to cause cancer:**

108-10-1 methyl isobutyl ketone

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

64-17-5 ethyl alcohol

67-56-1 methyl alcohol

108-10-1 methyl isobutyl ketone

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

108-10-1 methyl isobutyl ketone

I

**· TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethyl alcohol

A3

67-63-0 isopropyl alcohol

A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 11)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/04/2016

Reviewed on 04/04/2016

**Product name: Diamond Aerosol Spray**

(Contd. of page 10)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Environment protection department.

· **Contact:** Kim Dermit

· **Date of preparation / last revision** 04/04/2016 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Gas 1: Flammable gases – Category 1

Flam. Aerosol 1: Aerosols – Category 1

Press. Gas: Gases under pressure – Compressed gas

Flam. Liq. 1: Flammable liquids – Category 1

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 2: Carcinogenicity – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3