

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**1 Identification**

- **Product name:** Lubri-Cut, High Speed Cutting Fluid
- **Part number:** 80-10130, -10135
- **Application of the substance / the mixture** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Allied High Tech Products Inc.  
2376 East Pacifica Place  
USA-RANCHO DOMINGUEZ, CA 90220  
USA  
info@alliedhightech.com
- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (310) 635-2466  
Chemtrec: +1 (202) 483-7616

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**  
2,2',2''-nitrioltriethanol
- **Hazard statements**  
May cause an allergic skin reaction.  
May cause respiratory irritation.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 1)

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

Call a **POISON CENTER/doctor** if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

**IF ON SKIN:** Wash with plenty of water.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.


· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous Components:**

102-71-6	2,2',2''-nitriлотriethanol	 Skin Sens. 1B, H317; STOT SE 3, H335	10-<25%
----------	----------------------------	--	---------

· **Non-hazardous Components:**

Proprietary Ingredient	50-100%
------------------------	---------

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

	102-71-6 2,2',2''-nitrioltriethanol
--	-------------------------------------

TLV	Long-term value: 5 mg/m <sup>3</sup>
-----	--------------------------------------

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 3)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

- |  |   |
|--|---|
| · <b>Information on basic physical and chemical properties</b> |   |
| · <b>General Information</b>                                   |   |
| · <b>Appearance:</b>   |   |
| Form:  | Liquid  |
| Color:   | Yellow  |
| Odor:  | Mild  |
| Odor threshold:  | Not determined.                               |
| pH-value:  | 8-9   |
| · <b>Change in condition</b>                                   |   |
| Melting point/Melting range:                                   | Undetermined.                                 |
| Boiling point/Boiling range:                                   | 102 °C (216 °F) (ASTM D86)                    |
| Flash point:   | Not applicable.                               |
| Flammability (solid, gaseous):                                 | Not applicable.                               |
| · <b>Ignition temperature:</b>                                 |   |
| Decomposition temperature:                                     | Not determined.                               |
| Auto igniting:   | Product is not selfigniting.                  |
| Danger of explosion:   | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                                     |   |
| Lower:   | Not determined.                               |
| Upper:   | Not determined.                               |

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 4)

· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Specific gravity:</b>	1.09 (Water = 1)
· <b>Evaporation rate</b>	0.019 (butyl acetate = 1)
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	20.0 %
<b>VOC content:</b>	20.0 %
	200.0 g/l / 1.67 lb/gl
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Keep away from oxidising agents and acidic substances.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

- **Primary chemical irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

102-71-6	2,2',2''-nitriлотriethanol	3
----------	----------------------------	---

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 5)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                                       |                 |
|---------------------------------------|-----------------|
| · <b>UN-Number</b>                    |                 |
| · <b>DOT, ADN, IMDG, IATA</b>         | not regulated   |
| · <b>UN proper shipping name</b>      |                 |
| · <b>DOT, ADN, IMDG, IATA</b>         | not regulated   |
| · <b>Transport hazard class(es)</b>   |                 |
| · <b>DOT, ADN, IMDG, IATA</b>         |                 |
| · <b>Class</b>                        | not regulated   |
| · <b>Packing group</b>                |                 |
| · <b>DOT, IMDG, IATA</b>              | not regulated   |
| · <b>Environmental hazards:</b>       |                 |
| · <b>Marine pollutant:</b>            | No              |
| · <b>Special precautions for user</b> | Not applicable. |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 6)

- |  |                 |
|--|-----------------|
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>  | not regulated   |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

102-71-6 | 2,2',2''-nitrioltriethanol

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.

- **Contact:** Kim Dermit

- **Date of preparation / last revision** 03/28/2016 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/28/2016

Reviewed on 03/28/2016

**Product name: Lubri-Cut, High Speed Cutting Fluid**

(Contd. of page 7)

ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

US